

Protected by  
Experience



# Heat protection fabrics made of para-aramide fibers coated

## Characteristics

- High tensile strength
- High reflection of radiant heat
- High temperature resistance
- Very good chemical resistance
- Self-extinguishing
- Low thermal conductivity

## Applications

- Protective garments
- Cable protections
- Bellows
- Machine covers
- Protective gloves


## Coatings


- Aluminium transfer foil
- Aluminized polyester foil
- Silicone
- PU
- Further coatings on request


Below is an overview of our standard products.


Please **contact** us for project-oriented developments.





<b>Style</b>	<b>62-325/0 AHV</b>	
Material	100% Para-aramide	
Coating	Aluminium lamination	
Weight	405 g/m <sup>2</sup>	
Width	100cm	
Structure	Cross twill 3/1	
Colour	Alu / natural	
Certificates		
Availability	On order	

<b>Style</b>	<b>60-370/5 AHV</b>	
Material	100 % Para-aramide regenerated	
Coating	Aluminium lamination	
Weight	460 g/m <sup>2</sup>	
Width	150cm	
Structure	Herringbone	
Colour	Alu / natural	
Certificates	EN 11612	
Availability	Stock item	

<b>Style</b>	<b>60-370/5 AHV-2</b>	
Material	100 % Para-aramide regenerated	
Coating	Both sides aluminium lamination	
Weight	550 g/m <sup>2</sup>	
Width	150cm	
Structure	Herringbone	
Colour	Alu	
Certificates	EN 11612	
Availability	Stock item	

<b>Style</b>	<b>60-370/5 ATW</b>	
Material	100 % Para-aramide regenerated	
Coating	Aluminium lamination soft	
Weight	460 g/m <sup>2</sup>	
Width	150cm	
Structure	Herringbone	
Colour	Alu / natural	
Certificates	EN 11612	
Availability	Stock item	

<b>Style</b>	<b>60-370/5 AL-PET</b>	
Material	100 % Para-aramide regenerated	
Coating	aluminized PET foil	
Weight	460 g/m <sup>2</sup>	
Width	150cm	
Structure	Herringbone	
Colour	Alu / natural	
Certificates		
Availability	Stock item	

<b>Style</b>	<b>60-370/5-R AHV</b>	
Material	100 % Para-aramide regenerated	
Coating	Aluminium lamination / backside roughed	
Weight	460 g/m <sup>2</sup>	
Width	150cm	
Structure	Herringbone	
Colour	Alu / natural	
Certificates		
Availability	Stock item	

Protected by Experience






<b>Style</b>	<b>60-370/5-R ATW</b>	
Material	100 % Para-aramide regenerated	
Coating	Aluminium lamination soft / backside roughed	
Weight	460 g/m <sup>2</sup>	
Width	150cm	
Structure	Herringbone	
Colour	Alu / natural	
Certificates		
Availability	Stock item	


<b>Style</b>	<b>60-480/0 AHV</b>	
Material	100 % Para-aramide regenerated	
Coating	Aluminium lamination	
Weight	570 g/m <sup>2</sup>	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / natural	
Certificates		
Availability	Stock item	

<b>Style</b>	<b>60-480/0 AF</b>	
Material	100 % Para-aramide regenerated	
Coating	PU Alufix	
Weight	560 g/m <sup>2</sup>	
Width	100cm	
Structure	Twill 2/2	
Colour	Grey / natural	
Certificates		
Availability	On order	



<b>Style</b>	<b>60-600/0 AHV</b>	 
Material	100 % Para-aramide regenerated	
Coating	Aluminium lamination	
Weight	690 g/m <sup>2</sup>	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / natural	
Certificates		
Availability	On order	

<b>Style</b>	<b>60-600/0 HHS-2-900</b>	
Material	100 % Para-aramide regenerated	
Coating	Both sides silicone coating	
Weight	1200 g/m <sup>2</sup>	
Width	100cm	
Structure	Twill 2/2	
Colour	Black	
Certificates		
Availability	On order	

<b>Style</b>	<b>60-600/0 THS-2-900</b>	
Material	100 % Para-aramide regenerated	
Coating	Both sides silicone coating TL	
Weight	1500 g/m <sup>2</sup>	
Width	100cm	
Structure	Twill 2/2	
Colour	Black	
Certificates		
Availability	On order	